



**TEC-IT**

[WWW.TEC-IT.COM](http://WWW.TEC-IT.COM)

---

# TBarCode/X

Barcode Solution for Linux® and UNIX®

---

Version 2.0

## White Paper

24 March 2006

TEC-IT Datenverarbeitung GmbH  
Wagnerstrasse 6  
A-4400 Steyr, Austria

t ++43 (0)7252 72720  
f ++43 (0)7252 72720 77  
office@tec-it.com  
www.tec-it.com



## TBarCode/X È Barcodes for Linux®/UNIX®

### Complete Barcode Support

TBarCode/X is the professional software package for Linux® or UNIX® based operating systems, which enables you to embed barcode printing or barcode functionality into

- print- or spool-servers
- ERP systems like SAP® R/3® or ORACLE®
- self-developed applications
- web-based systems

TBarCode/X optimizes the flow of information. Printing, faxing and publishing all types of barcodes (linear, 2D, RSS and Composite Symbologies) will be an integrated part of your workflow.

TBarCode/X is used to

- optimize the supply chain (SCM)
- cover document management requirements
- meet industry compliance (VDA, Odette, Galia, B-10 forms, etc.)
- automate warehousing and distribution (TNT®, FedEx®, UPS®, DHL® etc.)
- automate field services

- Barcode Generator for Linux® and UNIX®
- 70+ Barcode Symbologies

FROM: BMW MOTOREN AG D-80000 MUENCHEN  GERMANY test@bmw.co.at GERMANY		TO: M PREYMESSE GMBH & CO KG SPEDITION  ECHING B. MUENCHEN PLANT/DOCK: LC 15 C		
QUANTITY:	MATERIAL HANDLING CODE:	REFERENCE:		
160	A6-987	G1155		
FILLS NUMBER: 12345678				
LC (SING PLAT EIU)  UN 123456789 A2B4C6D8		SHIPMENT DATE: 24SEP2001 CONTAINER TYPE: SC151208 GROSS WEIGHT: 10		
		41L65 GREEN WIDGET  STOCKMAN 21		



## TBarCode/X Usage Scenarios

---

*TBarCode/X* supports three main functional areas:

### Print-Server Installation (Barcode-Printer Emulation)

*TBarCode/X* turns all of your printers into barcode printers. A suitable plug-in for printer-queues is part of the package. After installation each PostScript<sup>®</sup> or PCL<sup>®</sup> compatible output device provides full-featured barcode support. Barcoding functionality is available instantly . without upgrading the printers (neither hardware nor software upgrades are required). All barcode related work is done on the print-server.

### Barcode Library for Developers

Software developers can take advantage of the barcode functionality offered by the included barcode library (barcode SDK). The API of this library is well documented and enables the use of *TBarCode/X* as part of your application. The library can be used in conjunction with all development environments. Barcodes are generated in PostScript<sup>®</sup>, PCL<sup>®</sup>, PDF<sup>1</sup>, as image or via user-defined callback functions.

### Stand-Alone Barcode Generator

Finally, *TBarCode/X* offers a ready-to-use command line application. This executable can be used manually, from within shell-scripts or as part of web-applications (e.g. PHP). Barcodes are saved as image files or as vector graphics. All barcode related parameters can be specified via command-line parameters. Choose between the supported output formats and embed the generated barcodes into your documents or web-pages.

- Ready-to-Run Spool-Filter for Print-Servers
- Barcode SDK for Developers
- PostScript<sup>®</sup> or PCL<sup>®</sup>
- Stand-Alone Application

---

<sup>1</sup> Only in conjunction with TFORMer

## Highlights

---

### Extensive Barcode Support

*TBarCode/X* offers extensive barcode support . more than 70 different barcode symbologies are implemented. Linear as well as high-capacity two-dimensional (2D) codes like PDF417, MicroPDF, Data Matrix, MaxiCode or QR-Code are included. *TBarCode/X* also supports Reduced Space Symbologies (RSS) and EAN.UCC Composite Symbols.

### Saves Money

You benefit from barcode techniques without costly barcode printers.

Upgrading printers with specialized and expensive barcode modules is not required. *TBarCode/X* generates barcodes on all PostScript® or PCL® compatible devices.

### Saves Time

*TBarCode/X* is available as binary package for most operating systems or platforms - no compilation is required.

When it comes to barcode printing, there is no need for device-specific, time consuming and annoying escape-sequence programming.

### Versatile Solution

*TBarCode/X* can be used as ready-to-run spool-filter, as command line application (e.g. within shell-scripts) or as barcode generator library (for software developers).

### Multiple Output Formats

*TBarCode/X* is completely device independent. It can be used to print barcodes on all printers compatible with PostScript® or PCL®. Besides this, barcodes can be generated in various supported bitmap and vector formats.

### Unified Bar-Coding

*TBarCode/X* eliminates output device specific configuration efforts. Barcodes are generated with simple commands or control sequences. Control sequences are identical among different output devices.

### Embed Barcodes

*TBarCode/X* embeds barcodes within the document itself, meeting the legal requirements for archiving purposes that exist in many countries.

- Works with existing Printers
- No Printer Upgrades
  - High Throughput
- Outstanding Stability
- More than 70 Barcodes
- Linear, 2D, Composite Codes are supported


## Scenario 1: Print/Spool-Server Installation

### Overview

TBarCode/X is plugged into the printer queues on operating system level. Barcodes are generated for all PostScript® or PCL® compatible printers.

Most likely one server-based installation fulfills all your bar-coding requirements.

This works completely transparent to the superordinate systems. In contrast to traditional methods all barcode configuration is device independent.



- For PostScript® and PCL®
- Direct Printing
  - Optional: Automatic PDF Conversion
  - Optional: Automatic Emailing

1) Details for PDF/Email generation are available on request. Please contact TEC-IT



## Operating Principle

*TBarCode/X* works with all applications utilizing output streams compatible with PostScript® or PCL®. The workflow is as follows:

- An arbitrary application prints documents. Barcode specific control sequences are embedded into this data. The output is sent to the spool-system of the Linux® or UNIX® box.
- The *TBarCode/X* filter application (which is part of the package) is plugged into the standard spooler system on operating system level and intercepts each print-job.
- Whenever a barcode specific control sequence is detected, *TBarCode/X* extracts it and replaces it with the corresponding barcode. *TBarCode/X* automatically detects PostScript® or PCL® data-streams and does not affect print-jobs without barcode information. Barcodes can be placed on absolute page-positions or relative to the current cursor position.
- The resulting data-stream is sent to the device by the spool-system.

## Applications or Systems

### Your Application

A legacy application or an ERP-system (like SAP® R/3® or ORACLE®) prints documents. Embedded into these documents are control sequences for barcode generation.

## Linux®/UNIX® based Printserver

### Spool-System on Linux® / UNIX®

The spool-system receives the print job. The job is passed over to the filter application for handling barcode control sequences.

### TBarCode/X Filter

The data of each print-job is filtered. If a barcode specific control sequence is detected it is replaced with the corresponding barcode.



## Output Devices (PostScript® or PCL®)



- Central Installation
  - Extends Spooling System
  - No unwanted Side Effects
  - Per-printer Configuration (LPR)

## Advantages of Print-Server Installations

### Integrates Seamlessly

The print- or spool server is the ideal location for barcode generation.

*TBarCode/X* offers complete, transparent bar-coding features to all applications and hides device-dependencies from the user.

### Minimized Deployment

*TBarCode/X* is installed only within the print-server. No additional software roll-out is required.

### ERP-Ready

*TBarCode/X* works with well-known ERP systems like SAP® R/3® or ORACLE®. Even legacy system may benefit from *TBarCode/X*.

### Transparent Spool-Filter

Part of the package is a so-called filter-application, which plugs into printer-queues. This filter works in a completely transparent way to all applications and turns PostScript® or PCL® compatible printers into full-featured barcode devices.

### Performance and Stability

*TBarCode/X* was developed with performance in mind. The size of the print-jobs is increased only minimally. *TBarCode/X* is ideally suited for shop-floor or high availability applications.

### Independence

Customers can choose between printer models and printer manufacturers at any time.

- Seamless Integration
  - No Deployment
- No Printer Upgrades
- Printer Independent
  - ERP-Ready

## Scenario 2: For Software Developers

### Overview

*TBarCode/X* is available as shared or static library. Software developers are able to link *TBarCode/X* with own applications.

In this case the generation of barcode symbols is completely controlled by the programmer. An extensive set of API functions (application program interface) is available to adjust each possible barcode parameter.

### Cross-Platform

The API of *TBarCode/X* is compatible with the Microsoft® Windows®-based version of the product which is named *TBarCode DLL*.

### Output Formats

The output format of the barcodes is adjustable . choose between:

- PostScript®
- PCL®
- PDF<sup>1</sup>
- Image Formats (3<sup>rd</sup> party software required)
- Customized barcode drawing functions by utilizing the callback feature of *TBarCode/X*. In this case every bar or square of a barcode is drawn by your application (e.g. on specialized output devices).

### Integration

If a more flexible integration is preferred, it is also possible to call a ready-to-run stand-alone application for barcode generation. This stand-alone application (named `tbarcode`) may be forked from within your application, called in shell-scripts or executed via web-pages.

- Cross-Platform Barcode SDK
- Shared or Static Linking
- Various Output Formats
  - User defined Barcode Drawing (Callback Functions)
  - Extensive API

<sup>1</sup> Only in conjunction with TFORMer





## Scenario 3: Stand-Alone Application

---

### Overview

*TBarCode/X* comes with a ready-to-run stand-alone application. This command-line application can be executed manually or within shell-scripts.

This command line tool is the ideal solution for ad-hoc barcode creation requirements as in

- pre-press applications
- graphic studios
- print-shops
- barcode film production

*TBarCode/X* allows the user to adjust all relevant barcode parameters (like output resolution, module width, print-ratio, pixel shaving) to achieve high-quality output which can be used immediately in other applications (like GIMP or Adobe® Photoshop®).

- Stand-Alone Application
- Ready-To-use
- Command-Line Barcode Generator



## Supported Linear (1D) Barcodes

Barcode Symbology	
Codabar (2 widths variant)	✓
Code 11	✓
Code 128 (auto-compress)	✓
Code 128 Character Set A	✓
Code 128 Character Set B	✓
Code 128 Character Set C	✓
Code 2 of 5 IATA	✓
Code 2 of 5 Industrial	✓
Code 2 of 5 Interleaved	✓
Code 2 of 5 Matrix / Code 2 of 5 Standard	✓
Code 39 (Code 3 of 9)	✓
Code 39 Extended (Full ASCII)	✓
Code 93	✓
Code 93 Extended (Full ASCII)	✓
Deutsche Post Identcode	✓
Deutsche Post Leitcode	✓
EAN13	✓
EAN13 + 2 digits add on	✓
EAN13 + 5 digits add on	✓
EAN14	✓
EAN8	✓
EAN8 + 2 digits add on	✓
EAN8 + 5 digits add on	✓
Flattermarken	✓
ISBN / Bookland	✓
Serial Shipping Container Code (AI00)	✓
Telepen Alpha	✓
UCC/EAN-128	✓
UPC-A	✓
UPC-A + 2 digits add on	✓
UPC-A + 5 digits add on	✓
UPC-E	✓
UPC-E + 2 digits add on	✓
UPC-E + 5 digits add on	✓
ITF-14	✓
LOGMARS	✓
MSI	✓
NVE-18	✓
OMR-Code / Flattermarken	✓
Pharmacode 1-Track	✓
Pharmacode 2-Track	✓

- 70+ Barcodes supported
  - Linear Barcodes
  - 2D Barcodes
- Composite Barcodes

Linear Symbolologies (continued)	
Plessey	✓
PZN (Pharma Zentral Nr. Germany)	✓
Australia Post 37-Customer (Australian Post Customer)	✓
Australia Post 52- Customer (Australian Post Customer 2)	✓
Australia Post 67- Customer (Australian Post Customer 3)	✓
Australia Post Redirection	✓
Australia Post REPLY Paid	✓
Australia Post Routing	✓
Japanese Postal (Customer) Code	✓
Korean Postal Authority Code	✓
Planet-12	✓
Planet-14	✓
Royal Mail 4 State (RM4SCC)	✓
USPS Postnet 5 digits (ZIP)	✓
USPS Postnet 9 digits (ZIP+4)	✓
USPS Postnet 11 digits (ZIP+4+2)	✓

Please contact TEC-IT if a barcode type not listed here is required.

- 70+ Barcodes supported
  - Linear Barcodes
    - 2D Barcodes
- Composite Barcodes

## Supported Complex Barcodes

### 2D Barcodes (High Density)

Barcode Symbology	
PDF417*	✓
PDF417 Truncated*	✓
Data Matrix*	✓
MaxiCode*	✓
QR-Code*	✓
Codablock F*	✓
MicroPDF417*	✓

\*: needs 2D license (not included in 1D license)

### Reduced Spaced Symbologies

Barcode Symbology	
RSS-14	✓
RSS 14 Limited	✓
RSS 14 Truncated	✓
RSS 14 Stacked*	✓
RSS 14 Stacked Omni*	✓
RSS Expanded	✓
RSS Expanded Stacked*	✓

\*: needs 2D license (not included in 1D license)

### EAN.UCC Composite Symbology

Barcode Symbology	
RSS-14 Composite Symbology (CC-A/B)*	✓
RSS 14 Limited Composite Symbology (CC-A/B)*	✓
RSS 14 Truncated Composite Symbology (CC-A/B)*	✓
RSS 14 Stacked Composite Symbology (CC-A/B)*	✓
RSS 14 Stacked Omni Composite Symbology (CC-A/B)*	✓
RSS Expanded Composite Symbology (CC-A/B)*	✓
RSS Expanded Stacked Composite Symbology (CC-A/B)*	✓
EAN-8 Composite Symbology (CC-A/B)*	✓
EAN-13 Composite Symbology (CC-A/B)*	✓
UPC-A Composite Symbology (CC-A/B)*	✓
UPC-E Composite Symbology (CC-A/B)*	✓
EAN-128 Composite Symbology (CC-A/B/C)*	✓

\*: needs 2D license (not included in 1D license)

- 70+ Barcodes supported
  - Linear Barcodes
  - 2D Barcodes
- Composite Barcodes
- VDA/BeloM-compliant (PDF417)

Please contact TEC-IT if a barcode type not listed here is required.

## Datasheet

# TBarcode/X

Overview	
Current Version	V2.0
Costs per printer	None
Costs per user	None
Additional hardware required	None
Operating system dependencies	See below. Requests for special operating system are welcome.
Supported printing protocols for print-server installation	LPR, LPRng, CUPS
For PostScript® compatible printers	✓
For PCL® compatible printers	✓

General	
Ready-to-use Stand-Alone Application	Included
Static and Shared Libraries for Developers	Included
Spool-Filter Plug-In	Included
Barcode Generator Daemon for high-performance applications	Included

Operating Systems (LINUX/BSD based)	
SuSE 9 and higher (x86)	✓
SLES 9 and higher (x86)	✓
Ubuntu 5.04 (Debian based) and higher (x86)	✓
RedHat 9 and higher (x86)	✓
RedHat 7.3 (x86)	✓
Fedora Core 4 and higher (x86)	✓
SuSE 7.0 (x86)	✓
Mandrake 10 and higher (x86)	✓
FreeBSD 5 (x86)	✓

Operating Systems (HP-UX/AIX/Solaris based)	
Solaris 9 (SPARC)	✓
AIX 5.2 (PowerPC)	✓
AIX 4.3 (PowerPC)	✓
HP-UX 11i v2 (Itanium-2 & PA-RISC)	✓
HP-UX 11i v1 (PA-RISC)	✓
HP-UX 11 (PA-RISC)	✓

- For PostScript® and PCL®
  - Wide Range of Operating Systems
  - Support of LPR, LPRng, CUPS



## Licenses

---

### Free Demo License

TEC-IT Datenverarbeitung GmbH offers an unlimited demo-version of *TBarCode/X* free of charge. The barcodes generated by the demo-version are marked with an additional horizontal bar across the barcode . but the barcodes are usually still readable with barcode scanners or decoding software.

To install the demo version download *TBarCode/X* from <http://www.tec-it.com>. Please make sure to download the binary suitable for your platform.

### Licensing/Pricing for Print- or Spool-Server Installation

*TBarCode/X* for the use in print- or spool-servers is licensed on a per-server basis. Please contact us for details and provide us a description of your requirements (number of installations, number of facilities or sites, app. number of printers).

### Licensing/Pricing for Software Developers

When licensing *TBarCode/X* for development purposes, TEC-IT grants you the right to redistribute the libraries of *TBarCode/X* up to 10000 times as part of your application. No royalties are charged.

### Licensing/Pricing for Web/Application Servers

*TBarCode/X* for the use on web- or application-servers is licensed on a per-server basis. Please contact us for details and provide us with a description of your requirements (number of servers, number of facilities or sites, number of users).

- No Costs per User
- No Costs per Printer
  - Simple Licensing

## Contact Information

---

### TEC-IT Datenverarbeitung GmbH

Address:	Wagnerstr. 6 AT-4400 Steyr Austria/Europe
Phone:	+43 / (0)7252 / 72 72 0
Fax:	+43 / (0)7252 / 72 72 0 . 77
Email:	<a href="mailto:sap@tec-it.com">mailto:sap@tec-it.com</a>
Web:	<a href="http://www.tec-it.com">http://www.tec-it.com</a>

TBarCode/X

AIX® is a registered trademark of IBM Corporation.

HTML, DHTML, XML, XHTML are trademarks or registered trademarks of W3C, World Wide Web Consortium, Laboratory for Computer Science NE43-358, Massachusetts Institute of Technology, 545 Technology Square, Cambridge, MA 02139.

JAVA® is a registered trademark of Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, CA 94303 USA.

JAVASCRIPT® is a registered trademark of Sun Microsystems, Inc., used under license for technology invented and implemented by Netscape.

Linux® is a registered trademark of Linus Torvalds in several countries.

Microsoft®, Windows®, Microsoft Word®, Microsoft Excel® are registered trademarks of Microsoft Corporation.

Navision is a registered trademark of Microsoft Business Solutions ApS in the United States and/or other countries.

Oracle® is a registered trademark of Oracle Corporation.

PCL® is a registered trademark of the Hewlett-Packard Company.

PostScript® is a registered trademark of Adobe Systems Inc.

SAP, SAP Logo, R/2, R/3, ABAP, SAPscript are trademarks or registered trademarks of SAP AG in Germany (and in several other countries).

UNIX® is a registered trademark of The Open Group

All other products mentioned are trademarks or registered trademarks of their respective companies. If any trademark on our web site or in this document is not marked as trademark (or registered trademark), we ask you to send us a short message (<mailto:office@tec-it.com>).