



TFPrint

Command Line Printing Tool

Version 6.0

User Manual

16 April 2009

TEC-IT Datenverarbeitung GmbH
Wagnerstrasse 6
A-4400 Steyr, Austria

t ++43 (0)7252 72720
f ++43 (0)7252 72720 77
office@tec-it.com
www.tec-it.com

WWW.TEC-IT.COM

1 Content

1	Content	2
1.1	Table of Figures	2
2	Disclaimer	3
3	Command Line Printing	4
3.1	General	4
3.2	Outline	4
3.3	Syntax	5
3.3.1	Samples	5
3.3.1.1	Printing with Default Data	5
3.3.1.2	Using CSV Data	5
3.3.1.3	ODBC Data	5
3.3.1.4	Using Repository Forms	6
3.3.1.5	More Samples	6
3.4	Syntax in Detail	7
3.4.1	Form Layout	7
3.4.2	Datasource	7
3.4.2.1	Specification of Column Separators	8
3.4.2.2	Specification of Text Qualifiers	8
3.4.3	Output Device	8
3.4.4	Licensing	9
3.4.4.1	Licensing through Command Line	9
3.4.4.2	Licensing per tfprint.ini File	10
3.4.5	Miscellaneous Options	10
4	Contact and Support Information	12
4.1	Free Support	12
4.2	How to unlock the Demo Version	12
4.3	Company Contact Information	12

1.1 Table of Figures

Figure 1: TFPrint	4
-------------------	---

2 Disclaimer

The actual version of this product (document) is available as is. TEC-IT declines all warranties which go beyond applicable rights. The licensee (or reader) bears all risks that might take place during the use of the system (the documentation). TEC-IT and its contractual partners cannot be penalized for direct and indirect damages or losses (this includes non-restrictive, damages through loss of revenues, constriction in the exercise of business, loss of business information or any kind of commercial loss), which is caused by use or inability to use the product (documentation), although the possibility of such damage was pointed out by TEC-IT.



We reserve all rights to this document and the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden.



Für dieses Dokument und den darin dargestellten Gegenstand behalten wir uns alle Rechte vor. Vervielfältigung, Bekanntgabe an Dritte oder Verwendung außerhalb des vereinbarten Zweckes sind nicht gestattet.

© 1998-2009
TEC-IT Datenverarbeitung GmbH
Wagnerstr. 6

A-4400 Austria
t.: +43 (0)7252 72720
f.: +43 (0)7252 72720 77
<http://www.tec-it.com>

3 Command Line Printing

3.1 General

The command line based version of **TFORMer Runtime** is available for all supported operating systems (Microsoft® Windows®, Linux® and UNIX®). It generates output based on arbitrary form layouts created with **TFORMer Designer**.

The executable file is named *tfprint* (or *tfprint.exe* on Microsoft Windows). It can be used


- on its own (executed manually),
- as part of batch-jobs or shell-scripts,
- via “shell-execute” as “out-of-process” reporting engine,
- as extension for printer filter applications on Linux/UNIX.

3.2 Outline

The general steps for using *tfprint* are:

1. Create the required form layouts using **TFORMer Designer**.
2. Provide data for the form layouts via XML, CSV, TXT or ODBC datasources.
3. Embed *tfprint* into your batch job, shell script or applications.

► On Microsoft Windows the files for the form layouts or file-based datasources (XML, CSV or TXT) may be provided as a filename (as file stored in the file system) or as http-based URL.



```
Command Line
TFPrint U6.0.0.10023 - Command-Line TFORMer Reporting Engine
(c) 2002-2009 TEC-IT Datenverarbeitung GmbH
http://www.tec-it.com

tfprint -F (Repo Project Form) | FormFile
[ -D DataFile or DataSourceName ]
[ -DT (XML|TEXT|TFORMER|TFS|ODBC|DATASOURCE) ]
[ -DO [CL[yes|no]] [ESC[yes|no]] [SCc] [QCc] [RCFname|RCaname]
[DSN:name [USER:user] [PWD:password] SQL:statement] [XSLT:file] ]
[ParamName:value] ]
[ -O DevOrFile ]
[ -OT (WIN32|CUPS|REPO|PS|PSPRINTER|PDF|HTML|TXT|TXTPRINTER|IMGBMP|
IMGGIF|IMGJPG|IMGPCX|IMGPNG|IMGTGA|IMGTIF|IMGMULTITIF|
ZPL|ZPLPRINTER) ]
[ -OO [CPn] [TCname] [SRn] [SCn] [DXN] [DXH] [DXU] [JTtitle]
[ -L LicenseeName LicenseKey NumberOfLicenses LicenseKind ]
[ -Q ]
[ -C CommandFileASCII ]
[ -LCUPS ]
[ -SYSTEMID ]
[ -H | -? ] show detailed help

C:\ProgramData\TEC-IT\TFORMer\6.0\Examples\Command Line>
```

Figure 1: TFPrint

When using *tfprint* to generate output you need at least three parameter groups:

- Form layout (command line parameter *-F*)
- Datasource (command line parameters *-D*, *-DT*, *-DO*)
- Type and target of the generated output (command line parameters *-O*, *-OT*, *-OO*)

3.3 Syntax

If you start *tfprint* without command line parameters, the following help text is displayed. It shows you the syntax and all available parameters of *tfprint* in short form. For more detailed information about command line parameters use the command *tfprint -?* or *tfprint -H*.

```
TFPrint V6.0.0.1023 - Command-Line TFORMer Reporting Engine
(c) 2002-2009 TEC-IT Datenverarbeitung GmbH
http://www.tec-it.com

tfprint -F (Repo Project Form) | FormFile
[ -D DataFile or DataSourceName ]
[ -DT (XML|TEXT|TFORMER|TFS|ODBC|DATASOURCE) ]
[ -DO [CL[yes|no]] [ESC[yes|no]] [SCc] [QCc] [RCfname|RCaname]
      [DSN:name [USER:user] [PWD:password] SQL:statement] [XSLT:file] ]
      [ParamName:value] ]
[ -O DevOrFile ]
[ -OT (WIN32|CUPS|REPO|PS|PSPRINTER|PDF|HTML|TXT|TXTPRINTER|IMGBMP|
      IMGGIF|IMGJPG|IMGPCX|IMGPNG|IMGTGA|IMGTIF|IMGMULTITIF|
      ZPL|ZPLPRINTER) ]
[ -OO [CPn] [TCname] [SRn] [SCn] [DXN] [DXH] [DXV] [JTtitle]
[ -L LicenseeName LicenseKey NumberOfLicenses LicenseKind ]
[ -Q ]
[ -C CommandFileASCII ]
[ -LCUPS ]
[ -SYSTEMID ]
[ -H | -?] Show detailed help
```

3.3.1 Samples

3.3.1.1 Printing with Default Data

If you want to print the stand-alone form *sample.tff* with default data you could use the following command:

```
tfprint -F C:\sample.tff
```

This command will print the form *sample.tff* to the default windows printer. If manual input was defined as standard datasource, the input data will be retrieved from the file *C:\sample.xml* automatically. This is the data file which is maintained by **TFORMer Designer** (data view).

3.3.1.2 Using CSV Data

Of course you can also specify any other data file – like CSV:

```
tfprint -F C:\sample.tff -D "C:\Form Data\data.csv" -DT TEXT -DO SC;
```

The file *data.csv* uses the semicolon (“;”) as column separator.

► When using a text input file make sure to always specify the column separator!

3.3.1.3 ODBC Data

If you prefer using an ODBC connection for importing your data, the syntax will look like this:

```
tfprint -F C:\sample.tff -DT ODBC -DO DSN:DSN=TFORMer Sample SQL:"SELECT * FROM
tbl_Example"
```

3.3.1.4 Using Repository Forms

In order to print a form from a repository you have to specify the name of the repository, the name of the project and the name of the form:

```
tfprint -F "C:\TFORMER Repositories\MyRepository\MyRepository.tfr" MyProject MyReport -O  
"C:\output.pdf" -OT PDF
```

This sample saves the output as PDF document.

3.3.1.5 More Samples

The help text shows you more samples.

```
tfprint -H
```

3.4 Syntax in Detail

3.4.1 Form Layout

Use the following parameters to specify the form. This command line switch is mandatory.

```
-F [ (Repo Project Form) | FormFile ]
```

-F Repo Project Form	<p>Specifies a form stored in a specific project of a repository.</p> <p>Repo File name of the repository (*.tfr).</p> <p>Project Name of project within repository.</p> <p>Form Name of form within project.</p> <p>Example:</p> <pre>-F C:\MyRepository.tfr MyProject MyForm</pre>
-F FormFile	<p>Specifies a stand-alone form.</p> <p>FormFile..... File name of the stand-alone form (*.tff).</p> <p>Example:</p> <pre>-F C:\MyStandAloneForm.tff</pre>

3.4.2 Datasource

Use the following parameters to specify the data file or datasource name. If no data file is specified, *tfprint* will use the standard data source configured with **TFORMer Designer**. If a data file was specified (-D) it is mandatory to specify the type of the data file (-DT).

```
[ -D DataFile or DataSourceName ]
[ -DT (XML|TEXT|TFORMER|TFS|ODBC|DATASOURCE) ]
[ -DO [CLyes|CLno] [ESCyes|ESCno] [SCc] [QCc] [RCFname|RCAname] ]
[DSN:name [USER:user] [PWD:password] SQL:statement] [XSLT:file] [ParamName:value] ]
```

-D DataFile or DataSourceName	<p>Specifies the data file (e.g. with data type = XML) or data source name (data type DATA SOURCE). This switch is skipped for -DT ODBC.</p> <p>DataFile Name of the data file.</p> <p>DataSourceName. Name of the datasource defined in the form layout.</p> <p>Examples:</p> <pre>-D C:\MyDataFile.csv -DT TEXT</pre> <pre>-D CONN1 -DT DATASOURCE</pre>
-DT (XML TEXT TFORMER TFS ODBC DATASOURCE)	<p>Specifies the type of the data file given with the -D option.</p> <p>XML XML input file.</p> <p>TEXT ASCII input file (in CSV format).</p> <p>TFORMER Internal TFORMer data file (XML).</p> <p>TFS..... TFORMer Server compatible data file (XML).</p> <p>ODBC ODBC datasource.</p> <p>DATASOURCE Datasource specified in a layout (-D specifies DataSourceName).</p>
-DO [CLyes CLno] [ESCyes ESCno] [SCc] [QCc] [RCFname RCAname] [DSN:name [USER:user] [PWD:password]	<p>Specifies the options for the data file given with the -D option.</p> <p>CLyes Optional. Clear datafields between records.</p> <p>CLno Optional. Do not clear datafields between records (default).</p> <p>ESCyes..... Optional. Handle escape-sequences in input data.</p> <p>ESCno Optional. Do not handle escape-sequences in input data (default).</p>

SQL:statement] [XSLT:file] [ParamName:value]	<p>Input data options for text files (for –DT TEXT only):</p> <p>SCc..... Specifies the column separator character c. (e.g. SC; for the separator character “;”) For more information on specifying column separators, please see below.</p> <p>QCc Optional. Specifies the text qualifier character c. For more information on specifying text qualifiers, please see below.</p> <p>Record count:</p> <p>RCFname Optional. Specifies the name of the file containing the record counter.</p> <p>RCAname Optional. Specifies the name of the attribute containing the record counter (–DT XML only).</p> <p>Import data via ODBC connection (for –DT ODBC only):</p> <p>DSN Name of the data source (connection string).</p> <p>USER..... Optional. User name for ODBC connection.</p> <p>PWD Optional. Password for ODBC connection.</p> <p>SQL SQL-Statement for selecting the data.</p> <p>XSLT..... Optional. XSLT file which is used for transforming the given XML input upon import.</p> <p>ParamName..... Optional. Specifies the value for a datasource parameter in the form [Parameter Name]:[Parameter value] (–DT DATASOURCE only).</p>
---	---

3.4.2.1 Specification of Column Separators

Char	Parameter	Description
TAB	SC\t	Specifies tab as column separator.
;	SC;	Specifies semicolon as column separator.
,	SC,	Specifies comma as column separator.
Space	SC\x20	Specifies space as column separator.
Other	SC\xNN	Any other character can be specified in hex-notation or literally.

3.4.2.2 Specification of Text Qualifiers

Char	Parameter	Description
“	QC\”	Specifies the double quote character as text qualifier.
‘	QC’	Specifies the single quote character as text qualifier.
Other	QC\xNN	Any other character can be specified in hex-notation or literally.
		None.

3.4.3 Output Device

Use the following parameters to specify the output device (or file).

If no output device is specified, *tfprint* will send the print job to the default Windows® printer.

```
[ -O DevOrFile ]
[ -OT (WIN32|CUPS|REPO|PS|PSPRINTER|PDF|HTML|TXT|TXTPRINTER|IMGBMP|
      IMGGIF|IMGJPG|IMGPCX|IMGPNG|IMGTGA|IMGTIF|IMGMULTITIF|
      ZPL|ZPLPRINTER) ]
[ -OO [CPn] [TCname] [SRn] [SCn] [DXN] [DXH] [DXV] [JTtitle]
```

-O DevOrFile	<p>Specifies the output device or file:</p> <p>DevOrFile..... Name of the output device or of the output file.</p> <p>Example:</p> <pre>-O "HP LaserJet 4050" -OT WIN32 -O C:\output.pdf -OT PDF</pre>
---------------------	--

-OT [WIN32 CUPS REPO PS PSPRINTER PDF HTML TXT TXTPRINTER IMGBMP IMGGIF IMGJPG IMGPCX IMGPNG IMGTGA IMGTIF IMGMULTITIF ZPL ZPLPRINTER]	<p>Specifies the output type:</p> <p>WIN32.....DevOrFile is the printer name available under Microsoft® Windows®.</p> <p>CUPS.....DevOrFile is the name of a CUPS printer (Linux).</p> <p>REPODevOrFile is the name of a printer specified in the TFORMer repository. (Can be used in combination with the “-F Repo Project Form” switch only!)</p> <p>PS.....DevOrFile is the name of a PostScript file.</p> <p>PSPRINTERDevOrFile is the name of a PostScript printer. The output is sent directly to this device.</p> <p>PDFDevOrFile is the name of a PDF file.</p> <p>HTML.....DevOrFile is the name of a HTML file.</p> <p>TXTDevOrFile is the name of a text file.</p> <p>TXTPRINTERDevOrFile is the name of a text printer. The output is sent directly to this device.</p> <p>IMGBMPDevOrFile is the name of the BMP output file. Each output page is stored in one file. The page-number is appended to the filename if required. The specified filename may contain a series of #-characters as placeholder for the page-number.</p> <p>IMGGIFDevOrFile is the name of the GIF output file. Each output page is stored in one file. See also IMGBMP for additional notes.</p> <p>IMGJPGDevOrFile is the name of the JPG output file. Each output page is stored in one file. See also IMGBMP for additional notes.</p> <p>IMGPCX.....DevOrFile is the name of the PCX output file. Each output page is stored in one file. See also IMGBMP for additional notes.</p> <p>IMGPNGDevOrFile is the name of the PNG output file. Each output page is stored in one file. See also IMGBMP for additional notes.</p> <p>IMGTGA.....DevOrFile is the name of the TGA output file. Each output page is stored in one file. See also IMGBMP for additional notes.</p> <p>IMGTIF.....DevOrFile is the name of the TIF output file. Each output page is stored in one file. See also IMGBMP for additional notes.</p> <p>IMGMULTITIFDevOrFile is the name of the TIF output file. All output pages are stored in one file.</p> <p>ZPLDevOrFile is the name of a ZPL-II file. ZPL-II is the printer languages used by ZEBRA® printers.</p> <p>ZPLPRINTER.....DevOrFile is the name of a ZPL-II compatible printer. The output is sent directly to this device.</p>
-OO [CPn] [TCname] [SRn] [SCn] [DXN] [DXH] [DXV] [JTtitle]	<p>Specifies the options for the output device or file:</p> <p>CPn.....Optional. Number of copies for the print job [1..n]. (e.g. -CP2 for two copies).</p> <p>TCname.....Optional. Name of the tray control.</p> <p>SRn.....Optional. Start row [0..n]. Row in which the label printing shall start on the first page of the output. The preceding rows are left empty.</p> <p>SCn.....Optional. Start column [0..n]. Column in which the label printing shall start on the first page of the output. The preceding column s are left empty.</p> <p>DXNOptional. No duplex printing.</p> <p>DXHOptional. Horizontal duplex printing.</p> <p>DXVOptional. Vertical duplex printing.</p> <p>JTtitle.....Job title for the output (this is the spool name on Microsoft Windows).</p>

3.4.4 Licensing

3.4.4.1 Licensing through Command Line

If the license data is not available through the Windows® registry (usually when no **TFORMer Designer** installation is available on the machine) you can pass the license data with the following command line arguments:

```
-L LicenseeName LicenseKey NumberOfLicenses LicenseKind
```

-L LicenseeName	Specifies the license data:
------------------------	-----------------------------

LicenseKey NumberOfLicenses LicenseKind	LicenseeName Name of the licensee. LicenseKey License key. NumberOfLicenses Number of purchased licenses. LicenseKind Kind of purchased license: Single Workgroup Office Site Developer Server. Make sure to specify the parameters in the correct order!
--	--

3.4.4.2 Licensing per tfprint.ini File

Alternatively the license key can be supplied in a file named *tfprint.ini*.

- On Windows create this file in the same directory where the executable (*tfprint.exe*) is located.
- On Linux/UNIX the *tfprint.ini* file has to be located in the directory */usr/local/share/TFORMer6/*.

The following syntax has to be used:

```
[LICENSE_DATA]
License_Product=29
Licensee=John Doe
License Kind=3
Number_Of_Licenses=1
License Key=00000000000000000000000000000000
```

License_Product=[Product ID]

Depending on your operating system, make sure that the correct *Product ID* is used:

Operating System	Product ID	Description
Windows	57	For Microsoft Windows systems.
Linux, UNIX	120	For Linux and UNIX systems.

License_Kind=[License ID]

For configuring the *tfprint.ini* file, make sure that the appropriate *license ID* is used:

Kind of License	License ID	Description
Developer	3	Developer license (for one developer / 10000 redistributions).
Web	3	Web license.
Office	4	Office license (100 installations within one site).
Workgroup	5	Workgroup license (10 installations within one site).
Server	6	Server license (Installation on ONE (Web).Server).

3.4.5 Miscellaneous Options

TFPrint offers the following additional options:

```
-Q
-C CommandFileASCII
-LCUPS
-SYSTEMID
-CONFIG File
-H | -?
```

-Q	Quiet. Do not write messages to stdout (e.g. console).
-C CommandFileASCII	Use a command file <u>in addition</u> to any other command line parameters. This file must be stored in ASCII, do not use a UNICODE file here. Example:

	<pre>-C MyParams.txt</pre> <p>The content of "MyParams.txt" could be as follows:</p> <pre>-DT TEXT -DO SC; QC\" -L "John Doe" ***** 1 "Single"</pre>
-LCUPS	List CUPS printers (Linux/UNIX only).
-SYSTEMID	Retrieve your SystemID (used for ordering licenses).
-CONFIG File	Path to a TFORMer config file.
-H -?	This command line switch shows you a detailed help text.

4 Contact and Support Information

4.1 Free Support

If you have questions, need help or simply want to tell us about your application, contact:

Email: support@tec-it.com

Web: <http://www.tec-it.com/support/>

Don't hesitate to contact us - let us hear your feedback! If the product does not fulfill your requirements, please tell us why. We are highly interested in meeting the requirements of our customers.

4.2 How to unlock the Demo Version

You can unlock the demo version with a license key. License keys can be obtained from TEC-IT by Email, online order form or FAX.

Email: sales@tec-it.com

Online: <http://www.tec-it.com/order/>

Fax: +43 / (0)7252 / 72 72 0 – 77

4.3 Company Contact Information

TEC-IT Datenverarbeitung GmbH

Address: Wagnerstrasse 6
AT-4400 Steyr
Austria/Europe

Phone: +43 / (0)7252 / 72 72 0

Fax: +43 / (0)7252 / 72 72 0 – 77

Email: support@tec-it.com

Web: <http://www.tec-it.com>

AIX is a registered trademark of IBM Corporation.

HTML, DHTML, XML, XHTML are trademarks or registered trademarks of W3C, World Wide Web Consortium, Laboratory for Computer Science NE43-358, Massachusetts Institute of Technology, 545 Technology Square, Cambridge, MA 02139.

JAVA® is a registered trademark of Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, CA 94303 USA.

JAVASCRIPT® is a registered trademark of Sun Microsystems, Inc., used under license for technology invented and implemented by Netscape.

Microsoft®, Windows®, Microsoft Word®, Microsoft Excel® are registered trademarks of Microsoft Corporation.

Navision is a registered trademark of Microsoft Business Solutions ApS in the United States and/or other countries.

Oracle® is a registered trademark of Oracle Corporation.

PCL® is a registered trademark of the Hewlett-Packard Company.

PostScript is a registered trademark of Adobe Systems Inc.

SAP, SAP Logo, R/2, R/3, ABAP, SAPscript are trademarks or registered trademarks of SAP AG in Germany (and in several other countries).

All other products mentioned are trademarks or registered trademarks of their respective companies. If any trademark on our web site or in this document is not marked as trademark (or registered trademark), we ask you to send us a short message (<mailto:office@tec-it.com>)